

frame

Frame

Chrono 29 6061 Xtralite Alloy butted, XC Forward Geometry, 73mm BSA bottom bracket, tapered head tube, HHG Internal Cable Routing, Boost 12x148mm rear axle

sizes

Sizes

S: 395mm / M: 430mm / L: 470mm / XL: 520mm

fork

Fork

X-Fusion RC32 29, 100mm, air spring, tapered steerer tube, Boost 15x110mm axle, 32mm aluminum stanchions, offset 51mm. Settings: 2 pos remote compression (open/lock), rebound, air preload

headset

Headset

Onoff Saturn tapered for 1-1/8" to 1-1/2" head tube, ACB sealed bearings, top 41x30.2x7x45°x45°, bottom 51.9x40x8x45°x45°

stem

Stem

Onoff Sulfur, 6061 T6 Alloy, 31.8mm bar bore, rise: +/-7°, length: sizes S/M: 60mm, size L: 80mm, size XL: 90mm

handlebar

Handlebar

Onoff Sulfur 0.2, double butted 6061 alloy, rise: 4.8mm, width: 740mm, 9° backsweep, 0° upsweep, 31.8mm bar bore

grips

Grips

Onoff Diamond, 1lock-on, 135mm

seatpost

Seatpost

Onoff Sulfur 0-R, 6061 T6 Alloy, 3D forged, diameter 27.2mm, length 400mm

saddle

Saddle

Mondraker XC Series, steel rail

front brake

Front brake

Sram Level TL, 2 piece caliper, Centerline 160mm IS 6 bolts one-piece rotor, steel-backed organic pad

rear brake

Rear brake

Sram Level TL, 2 piece caliper, Centerline 160mm IS 6 bolts one-piece rotor, steel-backed organic pad

brake lever

Brake lever

Sram Level TL, Direct Link actuation, tooled reach adjust, lever pivot bushings

rims

Rims

MDK-XP1 29 TLR, 25mm internal width, tubeless ready, 32 spokes

spokes

Spokes

CN round stainless steel

front hub

Front hub

Formula DC20LW, 9x100mm, cup & cone ball bearings, IS 6 bolts

rear hub

Rear hub

Formula MST148S-4SB, Boost 12x148mm, sealed bearings, IS 6 bolts, MS freehub

front tire

Front tire

Maxxis Ikon 29x2.20, 60TPI, wire bead

rear tire

Rear tire

Maxxis Ikon 29x2.20, 60TPI, wire bead

crankset

Crankset

Sram SX Eagle, Boost, DUB axle, Direct Mount chain ring, S size: 170mm, M/L/XL size: 175mm

rings

Rings

34T, steel, X-Sync 2

bottom bracket

Bottom bracket

Sram DUB BSA, sealed bearings, 73mm

chain

Chain

Sram SX Eagle, 12s, Powerlock

rear derrailleur

Rear derrailleur

Sram SX Eagle, Type 3 roller bearing clutch, cage lock, long cage, 1x12s, X-actuation 1:1

shift levers

Shift levers

Sram Trigger SX Eagle, 12s, X-Actuation 1:1

cassette

Cassette

Sram PG-1210, 11-50T, 12s

derailleur hanger

Derailleur hanger

Mondraker M068

weight

Weight

12.9 kg

fork remote

Fork remote

X-Fusion RC