

## TECHNICAL SPECS

### Frame

F-Podium 29 Stealth Air Full Carbon, XCO Optimized Zero Suspension System, 100mm, XC Forward Geometry, Carbon Monoblock upper link, BSA bottom bracket, tapered head tube, HHG internal cable routing, dedicated 1X drivetrain design, Boost 12x148mm rear axle, shock mudguard, postmount rear brake mount.

### Sizes

S: 390mm / M: 420mm / L: 470mm / XL: 510mm

### Rear shock

Rockshox SID Select+ RLR Debonair, 185x47.5mm. Settings: OneLock 2 position remote compression (open/lock), low-speed rebound, air preload. Trunnion top mount, 22.2x10mm bottom bushings

### Shock settings

Light compression, medium rebound, Lockout 430, 1 Token

### Fork

Rockshox SID Select RL 29, 120mm, Charger, Debonair, tapered steerer tube, Boost 15x110mm axle, 35mm tapered aluminum stanchions, offset 44mm. Settings: OneLock 2 position remote compression (open/lock), low-speed rebound, air preload

### Headset

Acros AZX-239 R1 Block Lock, ZS44/28.6 top, ZS56/40 bottom

### Stem

MDK, 6061 T6 Alloy, 31.8mm barbare, rise: +/-5°, length: sizes S/M: 50mm, size L: 60mm, size XL: 70mm

### Handlebar

Onoff Sulfur 0.2, double butted 6061 alloy, rise: 4.8mm, width: 760mm, 9° backsweep, 0° upsweep, 31.8mm barbare

### Grips

Onoff Twin, 1lock-on, 135mm

### Seatpost

Onoff Pija dropper internal, diameter 31.6mm, S size: 337x100mm, M/L/XL size 387x125mm

### Saddle

Fizik Antares R7

### Front brake

Sram Level T, 2 piece caliper, Centerline 180mm IS 6 bolts one-piece rotor, steel-backed organic pad

**Rear brake**

Sram Level T, 2 piece caliper, Centerline 160mm IS 6 bolts one-piece rotor, steel-backed organic pad

**Brake lever**

Sram Level T, Direct Link actuation, tooled reach adjust, lever pivot bushings

**Rims**

DT Swiss X1900 Spline 29, 25mm internal width, sleeved aluminum, tubeless ready, 28 spokes

**Spokes**

DT Champion, straightpull

**Front hub**

DT 370, Boost 15x110mm, IS 6 bolts

**Rear hub**

DT 370, Boost 12x148mm, 3 Pawl system, IS 6 bolts

**Front tire**

Maxxis Rekon Race 29x2.35, EXO protection, tubeless ready, 120TPI, folding bead

**Rear tire**

Maxxis Rekon Race 29x2.35, EXO protection, tubeless ready, 120TPI, folding bead

**Crankset**

Truvativ Stylo 6K Eagle, 12s, Boost, DUB axle, Direct Mount chain ring, S size: 170mm, M/L/XL size: 175mm

**Rings**

34T, steel, X-Sync 2

**Bottom bracket**

Sram DUB BSA, sealed bearings, 73mm

**Chain**

Sram SX Eagle, 12s, Powerlock

**Rear derailleur**

Sram GX Eagle, Type 3 roller bearing clutch, cage lock, 1x12s, X-Actuation 1:1

**Shift levers**

Sram Trigger SX Eagle, 12s, X-Actuation 1:1, single click

**Cassette**

Sram PG-1230, 11-50T, 12s

**Derailleur hanger**

Sram UDH

**Weight** 12.4 kg